



CE Marking of Pyroguard EW30 Maxi Satin

Pyroguard UK Ltd., Millfield Lane, Haydock, Merseyside. WA11 9GA.
Tel.: +44 (0) 1942 710 720 - Fax: +44 (0) 1942 710 730



We declare under his sole responsibility, the following characteristics for the CE Marking of the glass products named Pyroguard EW30 Maxi Satin, intended to be used in building and construction works, following product standard stated below :

Manufacturing Site	Haydock, UK		
Notified Body	0336		
Product Standard	EN14449:2005 + AC:2005		
	Characteristics	AVCP System(s)	Declared Performance
1.	Resistance to fire (EN 13501-2)	1	EW30
2.	Reaction to fire (EN 13501-1)*	3, 4	E
3.	External fire performances (EN13501-5)	3, 4	NPD
4.	Bullet resistance (EN 1063)	1	NPD
5.	Explosion resistance (EN 13541)	1	NPD
6.	Burglar resistance (EN 356)	3	NPD
7.	Pendulum body impact resistance (EN 12600)	3	2(B)2
8.	Resistance against sudden temperature change and temperature differentials (K)	4	40K
9.	Wind, snow, permanent and imposed load resistance (mm)	4	11
10.	Direct air borne sound reduction (EN 12758): R_w (C;Ctr)	3	35 (-2-2)
11.	Thermal properties -U-value (EN 673)	3	NPD
12.	Thermal properties -Normal emissivity ϵ_n coated side (EN 12898)	3	NPD
13.	Radiation properties -Light transmission / reflection (EN 410): $\tau_v / \rho_e / \rho'_e$	3	NPD
14.	Radiation properties -Solar transmission / reflection (EN 410): $\tau_e / \rho_e / \rho'_e$	3	NPD
15.	Solar Properties -Transmittance, g-value (EN410)	3	NPD
16.	Solar Properties -Reflectance, g-value (EN410)	3	NPD
17.	Durability (EN12543)	3, 4	Yes

*Regarding performance of reaction to fire, the classification is valid only with the compliance of conditions follows: maximum thickness of spacer 28 mm (VI glass); spacer material: aluminium or steel (VI glass); PVB =<0.76 mm (2 x 0.38 mm) (VF glass)

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Neil Tilsley (CEO, Pyroguard UK Ltd)

	Preparation	Validation
Nom	Mike Rooney	Vince Crook
Fonction	Technical Support Engineer	Director of Technical Development
Date	01-10-18	11/10/2018
Signature		



CE Marking of Pyroguard EW30 Maxi Satin

Update Tracking

Version	Date	Reason for Update
V1	07/8/2018	First version

Preparation

Validation

Nom	Mike Rooney	Vince Crook
Fonction	Technical Support Engineer	Director of Technical Development
Date	01-10-18	1/10/2018
Signature		